



3M series

DIMENSIONS AND WEIGHT

BELUNO 
Made in Italy

2900r/min 50Hz



MODEL		MODEL													kg	
		DN1	DN2	a	f	h	h1	h2	n	n1	n2	w1	w2	s	1F	3F
3M32-160/1.1-1.5	32-160/1.1-1.5	50	32	80	408	292	132	160	254	190	240	35	35	15	20.6 / 23.5	19.6/ 22.5
3M32-160/2.2	32-160/2.2	50	32	80	408	292	132	160	254	190	240	35	35	15	25.6	24.6
3M32-200/3.0	32-200/3.0-4.0	50	32	80	433	340	160	180	296	190	240	35	35	15	33.8	32.8/ 39.5
-	32-200/5.5	50	32	80	475	340	160	180	296	190	240	35	35	15	-	48.5
3M40-125/1.5-2.2	40-125/1.5-2.2	65	40	80	408	252	112	140	213	160	210	35	35	15	21.1/ 23.7	20.1/ 22.7
3M40-160/3.0	40-160/3.0-4.0	65	40	80	433	292	132	160	254	190	240	35	35	15	29	28/ 35.1
-	40-200/5.5-7.5	65	40	100	495	340	160	180	296	212	265	35	35	15	-	48.8/ 56.2
-	40-200/11.0	65	40	100	594	340	160	180	296	212	265	35	35	15	-	67.5
3M50-125/2.2	50-125/2.2	65	50	100	428	292	132	160	254	190	240	35	35	15	29.1	28.1
3M50-125/2.2	50-125/30-4.0	65	50	100	428	292	132	160	254	190	240	35	35	15	29.6	28.6/ 35.2
-	50-160/5.5-7.5	65	50	100	495	360	160	180	296	212	265	35	35	15	-	46.5/ 49.1
-	50-200/9.2-11.0	65	50	100	594	360	160	200	296	212	265	35	35	15	-	61.7/ 67.5
-	50-200/15.0	65	50	100	722	360	160	200	296	212	265	35	35	15	-	96
-	65-125/4.0	80	65	100	495	340	160	180	254	212	280	47	47	15	-	40
-	65-125/5.5-7.5	80	65	100	495	340	160	180	254	212	280	47	47	15	-	52/ 58.5
-	65-160/9.2-11.0	80	65	100	594	360	160	200	296	212	280	47	47	15	-	67/ 75.6
-	65-160/15.0	80	65	100	732	360	160	200	296	212	280	47	47	15	-	93
-	65-200/15.0-18.5	80	65	100	732	405	180	225	296	250	320	47	47	15	-	114/127
-	65-200/22.0	80	65	100	732	405	180	225	296	250	320	47	47	15	-	136
-	80-160/11.0	100	80	125	700	405	180	220	350	250	320	47	47	15	-	85
-	80-160/15.0-18.5	100	80	125	870	405	180	220	350	250	320	47	47	15	-	119/ 135
-	80-200/22.0	100	80	125	915	450	200	250	400	300	370	47	47	15	-	185
-	3M80-200/37.0	100	80	125	985	450	200	250	400	300	370	47	47	15	-	265/ 285

3M series

TECHNICAL DATA

BELUNO 
Made in Italy

2900r/min 50Hz


MODEL	Power		l/min	Q=DELIVERY																				DN
	KW	HP		m3/h	0	150	200	300	333	400	600	700	900	1200	1900	2100	2200	2300	2500	3400	3600	3800	4000	
			0		9	12	18	20	24	36	42	54	72	114	126	132	138	150	204	216	228	240	mm	
3M32-160/1.1	1.1	1.5	H(m)	22.5	19.9	18.4	14.1	12															50x32	
3M32-160/1.5	1.5	2		29.5	26.5	24.5	19.2	17															50x32	
3M32-160/2.2	2.2	3		37	34	32	27	25															50x32	
3M32-200/3.0	3	4		44	40	37.5	31	28															50x32	
3M32-200/4.0	4	5.5		55	52	49.5	43.5	40.5	37														50x32	
3M32-200/5.5	5.5	7.5		70.5	67.5	65	58.5	55	51														50x32	
3M40-125/1.5	1.5	2		20		19	17.6	17	15.7	10.3	7												65x40	
3M40-125/2.2	2.2	3		26.5		25.5	24	23.5	22	16.4	13												65x40	
3M40-160/3.0	3	4		31		29.5	27.5	27	25.5	20	17												65x40	
3M40-160/4.0	4	5.5		40		38.5	37	36	34.5	29	25.5												65x40	
3M40-200/5.5	5.5	7.5		47		45.5	44	43	41	35	31												65x40	
3M40-200/7.5	7.5	10		58		57	55.5		53.5	47.5	44												65x40	
3M40-200/11.0	11	15		72		71	70	70	68.5	63	59												65x40	
3M50-125/2.2	2.2	3		19					17.5	14.9	13.4	10.7											65x50	
3M50-125/3.0	3	4		22					20.5	18.4	17	14.4	8										65x50	
3M50-125/4.0	4	5.5		26.5					26	24	22.5	20.5	14										65x50	
3M50-160/5.5	5.5	7.5		33					31	28.5	27	24.5	18										65x50	
3M50-160/7.5	7.5	10		40					38.2	36	35	32.5	26.7										65x50	
3M50-200/9.2	9.2	12.5		53						49	47.5	44.5	34										65x50	
3M50-200/11.0	11	15		59						55	54	51	42										65x50	
3M50-200/15.0	15	20		72						69	68	65	57										65x50	
3M65-125/4.0	4	5.5		22.2						19.8	19	17.3	13.5	6.3									80x65	
3M65-125/5.5	5.5	7.5		27							24	22.2	18.5	10.8	8								80x65	
3M65-125/7.5	7.5	10		32							29.5	27.8	24	16.1	13.4	12							80x65	
3M65-160/9.2	9.2	12.5	36.5							34.5	32.8	29	21.1	18.3	16.8							80x65		
3M65-160/11.0	11	15	40.5							38.5	37.1	33.5	25.8	23	21.5	20						80x65		
3M65-160/15.0	15	20	48							45.5	44	40.5	32.6	29.6	28	26.5						80x65		
3M65-200/15.0	15	20	53.5							51	49	44.5	35.3	31.8	30							80x65		
3M65-200/18.5	18.5	25	60.5							58.5	56.5	52	43	39.7	38	36.3						80x65		
3M65-200/22.0	22	30	67							65.5	64	60	51	48	46.5	45						80x65		
3M80-160/11.0	11	15	29										27.5	24.2	23	22.4	21.8	20.4	12.5			100x80		
3M80-160/15.0	15	20	35										34.5	31.5	30.5	30	29.4	28.1	21	19.1	17	100x80		
3M80-160/18.5	18.5	25	40										39.5	36.7	35.7	35.2	34.7	33.5	26.4	24.4	22.3	20	100x80	
3M80-200/22.0	22	30	50										48.5	44.5	43	42	41	39	27.8	25		100x80		
3M80-200/30.0	30	40	60										59	56	54.5	54	53	51	41.5	39	36.1	30	100x80	
3M80-200/37.0	37	50	66										64	61	59.5	59	58	56.5	47	44.5	41.5	38.5	100x80	

3M series


PERFORMANCE CURVE

BELUNO 
Made in Italy


2900r/min 50Hz




3M 32




3M 40



3M 50



3M 65



3M 80